

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database with server\$4) and (fail\$6 with database) and ((pre \$1determine or pre \$1configure) with (substitu\$6 or map \$5)) and (re \$1associat with stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 07/ 07 09:24
L2	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database same server\$4) and (fail\$6 same database) and ((pre \$1determine or pre \$1configure) same (substitu\$6 or map \$5)) and (re \$1associat same stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 07/ 07 09:26
L3	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and ("707".clas. and stor \$5 and (database same server\$4) and (fail\$6 same database) and ((pre \$1determine or pre \$1configure) same (substitu\$6 or map \$5)) and (re \$1associat same stor \$6)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 07/ 07 09:26

L4	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 07/ 07 09:28
L5	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/ 07/ 07 09:29
L6	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/ 07/ 07 09:29

L7	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/ 07/ 07 09:30
L8	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/ 07/ 07 09:30
L9	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5.clm. and (database same server\$4).clm. and (fail\$6 same database).clm. and ((pre\$1determine or pre\$1configure). clm. same (substitu \$6 or map\$5)).clm. and (re\$1associat same stor\$6).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/ 07/ 07 09:30

L10	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database with server\$4) and (fail\$6 with database) and ((pre \$1determine or pre \$1configure) with (substitu\$6 or map \$5)) and (re \$1associat with stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/ 07/ 07 09:30
L11	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database with server\$4) and (fail\$6 with database) and ((pre \$1determine or pre \$1configure) with (substitu\$6 or map \$5)) and (re \$1associat with stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/ 07/ 07 09:30
L12	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database with server\$4) and (fail\$6 with database) and ((pre \$1determine or pre \$1configure) with (substitu\$6 or map \$5)) and (re \$1associat with stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/ 07/ 07 09:30

L13	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and "707".clas. and stor \$5 and (database with server\$4) and (fail\$6 with database) and ((pre \$1determine or pre \$1configure) with (substitu\$6 or map \$5)) and (re \$1associat with stor \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/ 07/ 07 09:30
S1	45	(("5761404") or ("5452459") or ("5561763") or ("5983228") or ("6199195") or ("5299263") or ("5406628") or ("5740423") or ("5809503") or ("5880720") or ("5983213") or ("6032159") or ("6128611") or ("6192363") or ("6199113") or ("6208935") or ("6212516") or ("6212520") or ("6219715") or ("6212516") or ("6212520") or ("6219715") or ("6327585") or ("6405193") or ("6424964") or ("6425011") or ("6681227") or ("6694312") or ("6792425") or ("6928580") or ("6941306") or ("5774873") or ("6006201") or ("6292555") or ("6571241") or ("5465399") or ("5974416") or ("6061683") or	USPAT	OR	OFF	2006/ 07/ 19 16:51

		("6061683") or ("6226659") or ("6226659") or ("6377948") or ("6484160") or ("6571270") or ("6711566") or ("7051041") or ("5544359") or ("5890165") or ("4967341") or ("5222140")).PN.				
S2	50	(("5317733") or ("5359730") or ("5406475") or ("5448729") or ("5450476") or ("5517559") or ("5517644") or ("5625774") or ("5666649") or ("5684989") or ("5715448") or ("5729731") or ("5737702") or ("5854938") or ("5878114") or ("5883952") or ("5890153") or ("5930800") or ("5970459") or ("5999975") or ("6023707") or ("6058419") or ("6074435") or ("6128619") or ("6144956") or ("6154129") or ("6240296") or ("6286004") or ("6308171") or ("6321201") or ("6327471") or ("6347230") or ("6349211") or ("6356916") or ("6434567") or ("6505199") or ("6535746") or ("6549920") or ("6728710") or ("6735615") or ("6789074") or	USPAT	OR	OFF	2006/ 07/ 19 16:51

		("6874001") or ("6895417") or ("6907313") or ("6928450") or ("6928451") or ("6938043") or ("6941327") or ("7007006") or ("7013298")).PN.				
S3	95	S1 or S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 16:56
S4	24	S3 and failure\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 16:57
S5	10	S4 and (back\$1up or substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 13:59
S6	108328	(fail\$6 near3 (computer or system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 17:09
S7	0	S1 same ((preset or pre\$1determined or alloted) substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 17:07
S8	0	S1 with ((preset or pre\$1determined or alloted) substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 17:07
S9	0	S1 and ((preset or pre\$1determined or alloted) substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 17:07
S10	1	S1 and ((preset or pre\$1determined or alloted) near5 substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 14:03

S11	25	S6 and share nothing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 19 17:09
S12	108446	(fail\$6 near3 (computer or system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 13:59
S13	31913	S12 and (back\$1up or substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 13:59
S14	7627	S13 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 14:00
S15	420	S13 and ring and n-1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:44
S16	0	S15 and share nothing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 14:00
S17	0	S13 and unidirection ring and n-1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 14:03
S18	0	S13 and unidirection and ring and n-1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 14:03
S19	279	S15 and ((preset or pre\$1determined or allotted) and substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:43

S20	27	S19 and mutual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:42
S21	108446	(fail\$6 near3 (computer or system or server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:43
S22	31913	S21 and (back\$1up or substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:43
S23	33752	failover or S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:43
S24	11797	S23 and ((preset or pre\$1determined or alloted) and substitut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:43
S25	1	S24 and ring and n- to-1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:44
S26	3262	S24 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:47
S27	282	S24 and ring and unidirection\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:45
S28	5	S27 and ring and unidirection\$2 ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:45

S29	0	S24 and ring and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:48
S30	64	S24 and ring and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/ 07/ 20 15:48
S31	1778	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) and failure and substitu\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:49
S32	12	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) same failure same substitu\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:50
S33	1	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) same failure same substitu\$6 and preset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:50
S34	6	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) same failure same substitu\$6 and (preset or pre-set or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:51

S35	20	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) and (failure same substitut\$6) and (preset or pre-set or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:53
S36	1	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS or (database management system)) and (failure same substitut\$6 same (preset or pre-set or predefined or pre-defined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:53
S37	20	((@ad <= "20030421") OR (@rlad <= "20030421")) and ("DBMS" or (database management system)) and (failure same substitut\$6) and (preset or pre-set or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:54
S38	9	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS! or (database management system)) and (failure same substitut\$6) and (preset or pre-set or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:54

S39	1022	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS! or (database management system)) and (replac \$6 and substitu\$6) and (preset or pre-set or predefined or pre-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:56
S40	0	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS! or (database management system)) and (replac \$6 and substitu\$6) and ((preset or pre-set or predefined or pre-defined) near4 substitut\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:56
S41	9	((@ad <= "20030421") OR (@rlad <= "20030421")) and (DBMS! or (database management system)) and (replac \$6 and substitu\$6) and ((preset or pre-set or predefined or pre-defined) with substitut\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 15:57
S42	69	((@ad <= "20030421") OR (@rlad <= "20030421")) and ((DBMS! or (database management system)) with concurrent\$7) and failur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 16:00

S43	7	((@ad <= "20030421") OR (@rlad <= "20030421")) and ((DBMS! or (database management system)) with concurrent\$7) with failur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 16:00
S44	2	((@ad <= "20030421") OR (@rlad <= "20030421")) and ((DBMS! or (database management system)) with concurrent\$7 with failur\$5) and (substitut\$6 or replac\$5 or re-connect or reconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/ 06/ 20 16:02

7/7/2008 9:32:02 AM

C:\Documents and Settings\nahluwalia\My Documents\EAST\Workspaces\Case10769351.wsp